

1080 Holland Dr., Suite 1 Boca Raton, FL 33487 Nationwide: (877) 722-6339

Local: (561) 288-9028 Fax: (561) 288-3929

http://www.claritydiagnostics.com

Safety Data Sheet

#### Section 1: Identification

**Product Name: Clarity Platinum Urine Analyzer** 

**Synonyms: CLA-PLTUA** 

**CAS Number**: N/A

Manufacturer: Clarity Diagnostics, LLC

Address: 1080 Holland Dr. Suite 1 Boca Raton, FL 33487

**Contact**: 1(877) 722-6339

**Recommended use**: Along with a 10 Parameter urine test strip, the Clarity Platinum urine analyzer (CLIA Waived) is intended to read Clarity Platinum urinalysis reagent strip.

## **Section 2: Hazard(s) Identification**

#### **GHS** Classification:

Health	Environmental	Physical
N/A	N/A	N/A

#### **GHS Label:**

Symbols		
Hazard Statements	<b>Precautionary Statements</b>	
Non Flammable	Store at room temperature	

# **Section 3: Composition/Information on Ingredients**

Component	CAS Number	Weight
N/A	N/A	N/A

### **See Section 8 For Exposure Limits**

#### **Section 4: First-Aid Measures**

Skin: None.

Eye: None

Inhalation: None

**Ingestion:**None.

**Medical Information:** None

### **Section 5: Fire-Fighting Measures**

Suitable Extinguishing Media: None known

Fire Fighting Procedures: Use CO<sub>2</sub>, Foam, or Water.

**Unusual Fire and Explosion Hazards:** None Known

**Combustion Products:** None known

#### **Section 6: Accidental Release Measures**

Accidental release measures: There is no current leakage potential under normal use.

### Section 7: Handling and Storage

Handling: Handle as directed in the package insert.

**Storage**: Keep in a cool place (20°C-25.6°F). Do not expose to direct light.

### **Section 8: Exposure Controls/Personal Protection**

**Exposure Limits:** None.

**Engineering Controls:** None.

Personal Protective Equipment (PPE): None.

**Ventilation**: Normal

### **Section 9: Physical and Chemical Properties**

Flashpoint: N.A

Auto ignition Temperature: N.A.

**Boiling Point:** N.A **Melting Point:** < 0.1

Vapor Pressure:<0.1

Vapor Density (Air=1): % Solubility in Water:N.A.

**Pour Point:** Not Available **Molecular Formula:** N.A.

**Odor/Appearance:** None Known

Lower Flammability Limit: N.A. Upper Flammability Limit: N.A Specific Gravity:= N.A. (Water=1)

% Volatile: N.A.

**Evaporation Rate (Water=1):** N.A.

**Viscosity:** Not Available.

Octanol/Water Partition Coefficient:Not Available

pH:Not Available Molecular Weight: N/A

### **Section 10: Stability and Reactivity**

**Stability and reactivity:** This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

## **Section 11: Toxicological Information**

Signs and Symptoms of Overexposure: No effects of overexposure

**Acute Effects:** 

**Eve Contact:** N/A.

Skin Contact: N/A.

**Inhalation:** N/A

**Ingestion:** N/A.

Target Organ Effects: None

**Chronic Effects:** None

**Medical Conditions Aggravated by Exposure:** N/A

**Acute Toxicity Values:** N/A

# **Section 12: Ecological Information\* (non-mandatory)**

No ecological information available

### **Section 13: Disposal Considerations\* (non-mandatory)**

Appropriate Methods	Disposal should be made in accordance with existing disposal
of Disposal	practices. Observe all Federal, State and Local law requirements.
European Community	Use appropriate waste codes based on ingredients.
(EC) Consideration	

# Section 14: Transport Information\* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper
	transportation.

# **Section 15: Regulatory Information\* (non-mandatory)**

European Labeling in accordance with EC Directives	
Hazard Symbols	N.A
Safety Phrases	Keep out of the reach of children
Risk Phrases	None
Additional Information	Consult country codes for specific requirements

### **Section 16: Other Information**

**Other Precautions:** No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

<sup>\*</sup>Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).