



27 April 2023

This memo is to notify you regarding the extension of the shelf-life expiration date of the INDICAID COVID-19 Rapid Antigen Test for professional use and INDICAID COVID-19 Rapid Antigen At-Home Test for over-the-counter (OTC) use. As a part of the EUA conditions of authorization, PHASE Scientific submits updated real-time product stability data to the U.S. Food and Drug Administration (FDA) on an on-going basis.

Pursuant to FDA's Policy for Coronavirus Disease-2019 Tests During the Public Health Emergency (Revised), Guidance for Developers and Food and Drug Administration Staff (January 12, 2023 revision), we have updated the shelf-life expiration to 15 months when stored at 2-30°C from the date of manufacture while the submitted real-time stability data is under review by FDA.

The shelf-life for the attached list of INDICAID product lots has been extended by three (3) months from the expiration dating provided on the product packaging.

Signature: _____

A handwritten signature in black ink, appearing to be "KC Cheng", written over a horizontal line.

Name: KC Cheng
Direct of Quality Assurance & Regulatory Affairs

**PHASE Scientific, INDICAID™ COVID-19 Rapid Antigen Test (POC, 2110400) and At-Home Test
(OTC, P0038/P0040)
12-month to 15-month Shelf-Life Extension**

Product Name: INDICAID COVID-19 Rapid Antigen At-Home Test (OTC, 2-test Kit)

Product Ref: P0038

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
22A0008 22S0167 22S0168 22X0059	2023-05-02	2023-08-02
22A0009	2023-05-07	2023-08-07
22E0007 22E0008 22E0009	2023-06-20	2023-09-20
22G0003 22S0172 22S0173 22S0174 22X0064 22X0065 22X0066 22X0067	2023-05-06	2023-08-06
22G0006 22S0233 22S0243	2023-06-13	2023-09-13
22L0004 22S0227	2023-06-06	2023-09-06
22L0007 22L0008 22S0259 22S0261	2023-06-23	2023-09-23
22S0142 22S0143	2023-04-06	2023-07-06
22S0144 22S0145	2023-04-08	2023-07-08
22S0146	2023-04-10	2023-07-10
22S0147 22S0148	2023-04-12	2023-07-12
22S0149 22S0150	2023-04-14	2023-07-14
22S0151	2023-04-15	2023-07-15
22S0152 22X0052	2023-04-17	2023-07-17

22S0153 22X0053	2023-04-19	2023-07-19
22S0154	2023-04-20	2023-07-20
22S0156 22S0158	2023-04-21	2023-07-21
22S0157 22X0054 22X0056	2023-04-22	2023-07-22
22S0159 22X0057	2023-04-25	2023-07-25
22S0160 22S0161 22S0162 22X0058	2023-04-27	2023-07-27
22S0163	2023-04-28	2023-07-28
22S0164 22S0165	2023-04-29	2023-07-29
22S0166	2023-04-30	2023-07-30
22S0169 22X0060	2023-05-03	2023-08-03
22S0170 22X0061	2023-05-04	2023-08-04
22S0171 22X0062 22X0063	2023-05-05	2023-08-05
22X0055	2023-04-23	2023-07-23
22X0068 22X0069 22X0070 22X0071	2023-05-08	2023-08-08
22S0175 22X0072 22X0073 22X0074 22X0075	2023-05-09	2023-08-09
22S0176 22S0178 22X0076	2023-05-10	2023-08-10
22S0177 22S0179 22X0077 22X0078	2023-05-11	2023-08-11
22A0010 22S0180 22S0181 22X0079	2023-05-12	2023-08-12
22A0011	2023-05-13	2023-08-13

22S0182 22S0183 22S0184 22X0080 22X0081 22X0082 22X0083		
22X0084	2023-05-14	2023-08-14
22X0085	2023-05-15	2023-08-15
22E0004 22S0185 22X0086 22X0087	2023-05-16	2023-08-16
22S0186 22S0187 22S0188 22S0190 22X0088 22X0089	2023-05-17	2023-08-17
22A0012 22S0189 22S0191 22S0192 22S0193 22X0090 22X0091	2023-05-18	2023-08-18
22S0194 22S0195 22S0196 22S0197 22X0092 22X0093	2023-05-19	2023-08-19
22A0013 22G0004 22X0094 22X0095 22X0096	2023-05-20	2023-08-20
22S0198 22S0199	2023-05-21	2023-08-21
22X0097 22X0098	2023-05-22	2023-08-22
22S0200 22S0201 22X0099 22X0100 22X0101	2023-05-23	2023-08-23
22S0202	2023-05-24	2023-08-24

22X0102 22X0103		
22A0014 22S0203 22S0204 22X0104 22X0105	2023-05-25	2023-08-25
22S0206 22S0210 22X0106 22X0107	2023-05-26	2023-08-26
22A0015 22A0016 22E0005 22G0005 22S0208 22S0211	2023-05-27	2023-08-27
22S0209	2023-05-28	2023-08-28
22X0108	2023-05-29	2023-08-29
22S0212 22S0213 22S0215 22X0109	2023-05-30	2023-08-30
22E0006 22S0216 22S0218 22T0001	2023-05-31	2023-08-31
22S0214 22S0217	2023-06-01	2023-09-01
22A0017 22L0003 22S0219	2023-06-02	2023-09-02
22S0221	2023-06-03	2023-09-03
22S0222	2023-06-04	2023-09-04
22S0220 22T0002 22X0110	2023-06-05	2023-09-05
22S0231	2023-06-07	2023-09-07
22L0005 22S0223 22S0234	2023-06-08	2023-09-08
22S0237	2023-06-09	2023-09-09
22S0240	2023-06-11	2023-09-11
22T0003	2023-06-12	2023-09-12
22G0006 22S0233	2023-06-13	2023-09-13

22S0243		
22S0242 22S0245	2023-06-14	2023-09-14
22L0006 22S0244	2023-06-15	2023-09-15
22S0246 22S0249	2023-06-16	2023-09-16
22S0248 22S0250 22S0251	2023-06-17	2023-09-17
22E0007 22E0008 22E0009 22S0254	2023-06-20	2023-09-20
22S0253 22S0255 22S0256	2023-06-21	2023-09-21
22G0007 22S0257	2023-06-22	2023-09-22
22L0007 22L0008 22S0259 22S0261	2023-06-23	2023-09-23
22S0258 22S0260	2023-06-24	2023-09-24
22S0268	2023-06-27	2023-09-27
22S0270	2023-06-28	2023-09-28
22S0265	2023-06-29	2023-09-29
22S0272	2023-06-30	2023-09-30
22S0281	2023-07-04	2023-10-04
22S0277	2023-07-05	2023-10-05
22S0284	2023-07-06	2023-10-06
22S0286	2023-07-07	2023-10-07
22S0289	2023-07-09	2023-10-09
22S0290	2023-07-11	2023-10-11
22S0292	2023-07-12	2023-10-12
22S0294 22S0295	2023-07-13	2023-10-13
22S0296	2023-07-14	2023-10-14
22S0297 22S0298 22S0299	2023-07-15	2023-10-15
22S0300 22S0301 22S0302	2023-07-19	2023-10-19
22S0304	2023-07-21	2023-10-21

22S0305	2023-07-22	2023-10-22
22S0307 22S0308	2023-07-26	2023-10-26
22S0309	2023-07-27	2023-10-27
22T0006 22T0007 22T0008	2023-08-28	2023-11-28
22S0351 22S0352	2023-09-21	2023-12-21
22T0004	2023-09-25	2023-12-25
22T0005	2023-09-26	2023-12-26
22T0009 22T0010	2023-09-27	2023-12-27
22T0011	2023-09-28	2023-12-28
22T0012	2023-09-29	2023-12-29
22S0372	2023-10-01	2024-01-01
22T0013 22T0014	2023-10-03	2024-01-03
22T0015 22T0016	2023-10-04	2024-01-04
22T0017 22T0018	2023-10-05	2024-01-05
22T0019 22T0020	2023-10-06	2024-01-06
22T0022 22T0023	2023-10-08	2024-01-08
22T0024 22T0025	2023-10-09	2024-01-09
22T0026 22T0027	2023-10-10	2024-01-10
22T0028 22T0029	2023-10-11	2024-01-11
22T0030 22T0031	2023-10-12	2024-01-12
22T0032 22T0033	2023-10-14	2024-01-14
22T0034 22T0035	2023-10-15	2024-01-15
22T0036 22T0037	2023-10-16	2024-01-16
22T0038 22T0039	2023-10-17	2024-01-17
22T0040 22T0041	2023-10-18	2024-01-18
22S0369	2023-10-19	2024-01-19
22T0042	2023-10-22	2024-01-22

22T0043	2023-10-23	2024-01-23
22S0373 22T0044	2023-10-24	2024-01-24
22T0045	2023-10-25	2024-01-25
22T0048 22T0049	2023-10-27	2024-01-27
22S0374 22T0050 22T0051	2023-10-28	2024-01-28
22T0046 22T0047	2023-10-31	2024-01-31
22S0404 22S0405	2023-11-29	2024-02-29
22S0408	2023-12-13	2024-03-13
22S0410	2023-12-14	2024-03-14
22S0411	2023-12-21	2024-03-21
23S0002	2024-01-03	2024-04-03
23T0001	2024-01-04	2024-04-04
23T0007	2024-01-08	2024-04-08
23S0003 23T0002	2024-01-09	2024-04-09
23S0004 23T0003	2024-01-10	2024-04-10
23T0004	2024-01-11	2024-04-11
23T0005	2024-01-12	2024-04-12
23S0005 23T0006	2024-01-13	2024-04-13
23S0029	2024-04-11	2024-07-11
23T0008	2024-04-16	2024-07-16
23T0009	2024-04-19	2024-07-19
23T0010	2024-04-23	2024-07-23
23T0011	2024-04-26	2024-07-26
23S0032 23T0012	2024-04-27	2024-07-27

Product Name: INDICAID COVID-19 Rapid Antigen At-Home Test (OTC, 12-test Kit)

Product Ref: P0040

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
22S0155	2023-04-20	2023-07-20
22S0205	2023-05-25	2023-08-25
22S0207	2023-05-26	2023-08-26
22S0224 22S0225 22S0226	2023-06-06	2023-09-06
22S0228	2023-06-07	2023-09-07
22S0229 22S0230	2023-06-08	2023-09-08
22S0232	2023-06-09	2023-09-09
22S0235	2023-06-10	2023-09-10
22S0236	2023-06-11	2023-09-11
22S0239	2023-06-13	2023-09-13
22S0241	2023-06-14	2023-09-14
22S0262	2023-06-24	2023-09-24
22S0263 22S0264	2023-06-25	2023-09-25
22S0266 22S0267	2023-06-28	2023-09-28
22S0269	2023-06-29	2023-09-29
22S0271 22S0275 22S0276	2023-06-30	2023-09-30
22S0278	2023-07-01	2023-10-01
22S0279	2023-07-04	2023-10-04
22S0280	2023-07-05	2023-10-05
22S0282 22S0283	2023-07-06	2023-10-06
22S0285	2023-07-07	2023-10-07
22S0344 22S0345	2023-09-14	2023-12-14
22S0347 22S0348	2023-09-16	2023-12-16
22S0349 22S0350	2023-09-19	2023-12-19
22S0363 22S0364 22S0365	2023-09-22	2023-12-22
22S0360 22S0361 22S0362	2023-09-23	2023-12-23

22S0370 22S0371 22S0384	2023-09-25	2023-12-25
22S0366 22S0367 22S0368	2023-10-01	2024-01-01
22S0380	2023-11-10	2024-02-10
22S0376	2023-11-14	2024-02-14
22S0383	2023-11-15	2024-02-15
22S0385	2023-11-17	2024-02-17
22S0388	2023-11-21	2024-02-21

Product Name: INDICAID COVID-19 Rapid Antigen Test (POC, 25-test Kit)

Product Ref: 2110400

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
22S0101 22S0102	2023-03-04	2023-06-04
22S0103	2023-03-05	2023-06-05
22S0104 22S0105 22X0039 22X0040	2023-03-07	2023-06-07
22S0106 22X0041	2023-03-08	2023-06-08
22S0107 22S0108	2023-03-09	2023-06-09
22S0110 22S0111	2023-03-10	2023-06-10
22S0112 22S0113 22S0114 22X0043 22X0044	2023-03-11	2023-06-11
22S0115 22S0116 22X0045	2023-03-12	2023-06-12
22S0117	2023-03-14	2023-06-14
22S0118	2023-03-16	2023-06-16
22S0119	2023-03-17	2023-06-17
22S0120 22S0121 22S0122 22X0046	2023-03-18	2023-06-18
22S0123	2023-03-21	2023-06-21
22S0124 22S0125	2023-03-22	2023-06-22
22S0126 22S0127 22S0128 22S0129	2023-03-23	2023-06-23
22S0130	2023-03-24	2023-06-24
22S0131 22S0132 22S0133	2023-03-26	2023-06-26
22S0134 22S0135	2023-03-28	2023-06-28

22S0311 22S0312	2023-08-02	2023-11-02
22S0317 22S0318	2023-08-04	2023-11-04
22S0319	2023-08-09	2023-11-09
22S0321	2023-08-15	2023-11-15
22S0322	2023-08-23	2023-11-23
22S0325	2023-08-17	2023-11-17
22X0042 22X0051	2023-04-11	2023-07-11
22X0047	2023-04-23	2023-07-23
23S0025	2024-03-06	2024-06-06